

## GLAZING SYSTEMS



**ER/LUX**  
CREATIVE QUALITY





## Heat-Insulated Sliding System

### Slide Master

SlideMaster - Heat Insulated Sliding System raises the standards of balcony glazing systems. Sliding systems have been renewed in insulation, comfort and aesthetics and turn your balconies, winter gardens and restaurants into fantastic living areas.

#### With Independent Panels

#### Easy and 100% Clean!

The SlideMaster system stands out from other sliding systems due to its unique design, which allows each panel to move independently. This innovative feature ensures that all glass panels can be easily accessed and cleaned thoroughly, eliminating the issue of overlapping panels.

#### No Barriers at the Corners

The side panel profile, developed specifically for L and U-shaped places, provides maximum panoramic and elegant view without the usage of any fixed corner profiles.

#### With Infinite Rail System

#### Maximum Width!

SlideMaster, thanks to its special design, allows for the creation of any number of rails starting from 1+1. This flexibility means you can have as many panels as needed, with the ability to open and close minimum and

#### 4.3 Times More

#### Insulation

Based on the features used for heat-insulated glass, the heat-insulated version of the SlideMaster provides 4.3 times more insulation than a single glass. Now your "living area will be cooler in the summer and warmer in the winter.



Technical Details	Description
System Height	Max. Height: 3000 mm*
Module Width	Max. Width: 1500 mm**
Glass Type	Heat-Insulated Glass
Glass Thickness	20 mm (4+12+4)
Rail Options	4 Rail as Standard   1Rail (to be added to standard rail as much as required)
Threshold solutions	42 mm with Threshold / 15 mm without Threshold
Lock Options	Wall-Mounted Lock   Push Button Hook Lock   Hook Lock with Key

\* To estimate wind load, it should be asked to headquarter for higher than the 15th floor.

\*\* Maximum panel weight 90 kg. should be partitioned.





## Single Glazed Sliding System

### SliderNext 08/10

With SliderNext, a new era begins in sliding balcony systems. This innovative solution combines insulation, security, and a panoramic view. SliderNext offers an uninterrupted panoramic view through its advanced glass glazing solution, while maximizing insulation with specially designed lower frame profiles, water drainage channels, brushes, and gaskets.

*From 8 Separate Systems*

#### Choose What's Right for You!

One of the 8 different systems of the SliderNext system—with or without threshold, with or without spacer bars, and available in 8 mm or 10 mm glass thicknesses—is designed to meet the insulation needs of your space. Choose the one that's right for you!



*With Independent Panels*

#### Easy and 100% Clean!

Unlike other sliding systems, SliderNext features a design where all panels can move independently of each other. This ensures that all glass surfaces can be cleaned easily and completely, eliminating the issue of overlapping panels!

*With 5 Different Locks*

#### Full Security!

SliderNext offers full security with five different locking systems, including the specially designed Pool, Plug & Play, Barrel, Spanish, and Hook locks. These options provide effective security solutions tailored to your needs.

*Optional*

#### Threshold Levels

The SliderNext system offers different threshold heights tailored to the needs of various areas, such as restaurants, cafés, winter gardens, and balconies.



Technical Details	Description
System Height	<b>08:</b> Max. 3000 mm / <b>10:</b> Max. 3100 mm*
Module Width	Max. 1300 mm**
Glass Type	Tempered Single Glass
Glass Thickness	8mm   10mm
Rail Options	2 Rail   3 Rail   5 Rail
Threshold solutions	Eşikli 30 mm   Eşiksiz 16 mm
Lock Options	Espagnolette, Inox Glass, Hook, Smart, Wall-Mounted Lock

\* To estimate wind load, it should be asked to headquarter for higher than the 15th floor.

\*\* Maximum panel weight 90 kg. should be partitioned.

# Dependable High-Quality Respected Trustworthy

*Eralux is here for you*

***Eralux** is dedicated to producing with a sense of responsibility, emphasizing reliability, quality, and reputation. We safeguard your living spaces by providing top-tier heat-insulated glass systems, ensuring peace and comfort for your family.*

**ERALUX D.O.O.**

Njegoševa 14 34227 Batocina/Serbia

[www.eralux.rs](http://www.eralux.rs)

[info@eralux.rs](mailto:info@eralux.rs)

Instagram: [eralux.rs](https://www.instagram.com/eralux.rs)



# ERLUX

CREATIVE QUALITY

