

## GLAZING SYSTEMS



**ER/LUX**  
CREATIVE QUALITY






## *Atrium / Momentum / Centrum* **HORIZONTAL SLIDING WALLS**

Eralux presents aesthetic and flexible solutions with its Horizontal Sliding Glass Wall Systems for your living areas. Sliding panels can move without using floor guides or channels.

The panels are easy to adjust, align, and operate. The strong rollers allow the system to carry heavy panels. In malls, restaurants, cafes and offices, wherever you need, a flexible solution to keep your space free when it opens up & secure and visible when it is closed.

Eralux systems allow you to design your space without limits. In malls, restaurants, cafes, and offices, wherever you need a flexible solution to keep your space empty when opened and secure and visible when closed.

Albert Genau Movable Glass Facade Systems are divided into three as function and design. Atrium HD, Momentum HD and Centrum HD.



## Flexible solutions

*For all spaces,*

Hotels, hospitals, restaurants, cafes, sports centers, retail, shopping malls, education centers. Glass Wall Systems can be applied wherever you need a flexible solution for your living space.

## Maximum Width with Free Panel Groups

Movable Glass Wall Systems offer a panoramic view with maximum glass heights and maximum panel widths. While the glass panels reach a height of 4 meters, the desired width can be easily achieved with the Free Panel Groups in Momentum.


## Innovative Design and Ultimate Comfort

Movable Glass Wall Systems have been meticulously designed to enhance user comfort. Everything is crafted with your convenience in mind: glass panels that move swiftly and quietly for effortless opening and closing, robust floor locks and sturdy track units for stability, and stylish, functional door locks that complement the system's design.




Technical Details	Description
Height	<b>Atrium:</b> Max. 4000 mm. <b>Momentum &amp; Centrum:</b> Max. 3300 mm.
Sash Width	<b>Atrium:</b> Max. 1100 mm <b>Momentum:</b> Max. 800 mm <b>Centrum:</b> Max. 900 mm
Glass Types	Laminated   Tempered Single Glass
Glass Thickness	10 mm   12 mm   15 mm
Ground Lock Options	Semi-Automatic Lock   Manuel Lock
Sash Lock Options	Glass to Glass Stainless Lock   150 cm Stainless Handle Lock


### ATRIUM HD



### MOMENTUM HD



### CENTRUM HD





# HIGHEST LEVEL OF

## CUSTOMER SATISFACTION

### Things to Consider When Making Glazing and Shading Systems

*Is the company you will choose for glazing or shading systems*

#### Competent and Authorized?

When choosing a company to install a glass balcony, competence and authorization are crucial factors. A glass balcony isn't a standard product; it's tailored to fit each balcony, making the company's expertise essential. It's important to verify if the company is authorized and competent, whether they are a dealer of a reputable corporate brand or source materials independently from the market.

#### Avoid

*Seasonal Glass Balcony Builders!*

Many companies operate as "seasonal glass balcony builders," capitalizing on demand and disappearing afterward. This can leave customers stranded when they need service or support.



#### Research

*Warranty and Service Assurance!*

Some companies prioritize cost-cutting with profiles and accessories sourced from the market, leading to potential issues with service and warranty. It's crucial to ensure that even if the glass balcony company closes, maintenance, renovations, or additional accessory needs can still be addressed by the main company.

# Dependable High-Quality Respected Trustworthy

*Eralux is here for you*

***Eralux** is dedicated to producing with a sense of responsibility, emphasizing reliability, quality, and reputation. We safeguard your living spaces by providing top-tier heat-insulated glass systems, ensuring peace and comfort for your family.*

**ERALUX D.O.O.**

Njegoševa 14 34227 Batocina/Serbia

[www.eralux.rs](http://www.eralux.rs)

[info@eralux.rs](mailto:info@eralux.rs)

Instagram: [eralux.rs](https://www.instagram.com/eralux.rs)

